





TOTAL ELECTRICAL SOLUTIONS

Started in 1958, Finolex Cables Limited is India's largest and leading electrical and telecommunication cables manufacturer. Finolex Cables has always believed in enhancing capabilities and augmenting the product basket.

In last few years, besides the cable business the company has forayed into new segments and added new products under the Finolex brand.

The company offers Total Electrical Solutions with products like Electrical Wires, 3 Core Flat Cables, Communication Cables, Telecommunication Cables, Flexible Cables, Auto Cables, Copper Rods, CFLs, LED Lighting Range, Electrical Switches, Switchgears, Fans and Electric Water Heater range.

Finolex Cables Limited has four manufacturing facilities viz. at Pimpri (Pune), Urse (near Pune), Verna (Goa) and Roorkee (Uttarakhand).

Finolex Fans

Finolex comes with unique and exclusive range of Ceiling, Table, Pedestal, Wall, Exhaust and Multipurpose fans. The Finolex fans range offers unique and unprecedented aesthetics and value for money performance which is the result of our in-house engineering expertise.

Finolex Ceiling Fans are available in a variety of designs and sizes from 600 mm to 1400 mm that cater to varied consumer needs-from Premium ceiling

fans that can add up to the aura of any living room to the plain and simple workhorses.

The Finolex Ceiling fans range is classified in three segments " Premium ", " Decorative " and "Smart ". The Premium series of fans are niche products. The decorative series has simple and subtle models that are both modern and futuristic. Smart series has standard and economy fans which are functional and simple.


The ceiling fan range boasts of unmatched performance.

Finolex Table, Pedestal and Wall fans are available in High Speed and Normal Speed motors. Table and Pedestal have sturdy and elegant bases and are available in 400mm. Wall fans have double strings for easy speed and swing selection and along with 400mm they are also available in 300mm.

The Exhaust fans range has many options to choose from for usage in Washrooms, Kitchens, Offices and Commercial establishments. The range includes Light Duty, Heavy Duty and High Speed fans. The metal series has bird guards whereas the fresh air series comes with automatic louver shutters. The range includes options in 100 to 600 mm.

Finolex Delight: The entire Fans range is backed by a nationwide on location after sales service set-up with a dedicated customer care toll free number that brings service right to the customers door step.

Ceiling Fans




BLOWING



Table / Pedestal / Wall Fans















Finfresh Co Axial



Finfresh



Finfresh Axial Nuvo



Blowin



Barney



Smash



Gladiator




HD Exhaust Nuvo













































Smash





Bianco







Specification


Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	66	380	210

- Powerful motor for better air delivery Complete aluminium body and blades
- Fans suitable for long operations























TABLE, PEDESTAL, WALL & EXHAUST FAN





Krayer-NS









COLOR

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
400	55	1300	79

- ▶ Elegantly designed switch box → Available in both high speed & normal speed variants
- ▶ Aerodynamically designed blades for higher air delivery





Finfresh Axial Nuvo









COLOR White

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
100	12	2400	140
150	20	1750	275

- ▶ Easy installation on glass, window & wood panels ▶ High quality plastic
- Modern & trendy design















Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
150	38	1350	300
200	40	1300	550
250	45	1250	750

- ▶ Elegant and trendy design with louver shutters that keep foreign matter away
- ▶ High quality engineering plastic













COLOR White

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
150	25	1300	275
200	30	1300	450



150 MM Barney HS











Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
150	55	2600	700



230 MM Barney HS











Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
230	65	2400	950



Barney NS











Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
230	30	1400	650
300	45	1350	1100

- ▶ Specially designed metal blade for better air flow ▶ Sleek and stylish domestic exhaust
- ▶ Efficient air delivery ▶ Extra powerful motor



Smash











Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
150HS	38	2400	500
230	45	1300	550
230HS	65	2500	1050
300	60	1290	1250

- ▶ Heavy sturdy metal body & blades ▶ Available in high speed & normal speed variants
- Powder coated premium finish







Gladiator











Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
230	55	1320	750
300	75	1300	1750

- ▶ Sturdy metal body & blades → Strong robust motor with double ball bearing
- Aerodynamically contoured blades for maximum air thrust
- ▶ Rigid frame with rubber mounting for silent operation



HD Exhaust Nuvo











Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/hr)
300	90	1400	1710
380	160	1400	3250
450	410	1400	6120
600	550	900	9400

- ▶ Heavy metal body & blades for stability & durability ▶ Anti-corrosion power coated body
- ▶ Higher air thrust ▶ Double ball bearing ▶ Smooth operation
- Copper Winding & Powerful Motor





Torrence Farrata





Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
500	150	1400	135

- ▶ Heavy Base → Powerful energy efficient heavy duty motor
- ▶ Unique aerodynamically designed 3 leaf metal blade for excellent air delivery

Hummingbird







COLOR Blue White

Specification

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
230	45	2500	26

- ▶ Multipurpose fan that can be used on table, wall & ceiling ▶ Ideal for small cabins, offices and homes
- Aerodynamically designed blades for maximum air delivery

BLOWING




General Guidelines for Ceiling Fan & Domestic Exhaust Fan				
Model	Sweep (MM)	Suitable For Room size		
Ceiling Fan	600 mm (24 Inch)	For Small Shops, Cabins, Toilets		
Ceiling Fan	900 mm (36 Inch)	2.1 × 3.1 meter (7 × 10 feet)		
Ceiling Fan	1050 mm (42 Inch)	3.1×3.1 meter (10 × 10 feet)		
Ceiling Fan	1200 mm (48 Inch)	3.7×4.0 meter (12 × 13 feet)		
Ceiling Fan	1400 mm (52 Inch)	4.3×4.9 meter (14 × 16 feet)		
Domestic Exhaust Fan	150 mm (6 Inch)	$1.8 \times 1.8 \times 2.7$ meter (6 × 6 x 9 feet)		
Domestic Exhaust Fan	200 mm (8 Inch)	$1.8 \times 1.8 \times 2.7$ meter (6 × 6 x 9 feet)		
Domestic Exhaust Fan	225 mm (8.8 Inch)	$2.4 \times 2.4 \times 2.7$ meter (8 × 8 x 9 feet)		
Domestic Exhaust Fan	300 mm (12 Inch)	$3.1 \times 2.4 \times 2.7$ meter (10 \times 8 x 9 feet)		

Selection Criteria And Recommended Minimum Fresh Air Supply Selection Criteria For Ceiling Fans					
Air Space Per Person	Air Supply Per person	AIR Changes/Hour			
3 m ³	61 m³/ Hour	20			
6 m ³	40 m³/ Hour	6.5			
9 m³	29 m³/ Hour	3.2			
12 m³	21 m³/ Hour	1.8			

Note: The specifications given for models in this catalogue are based on test voltage of 230 Volts, AC, 50 Hz. Due to continuos efforts for improvements the specifications are subject to change without prior notice.

Selection Criteria And Recommended Minimum Fresh Air Supply Selection Criteria For Exhaust Fans		
Area	Air Changes Per Hour	
Storage Area/Residences	1.0 - 2.0	
Class Rooms/Libraries	2.0 - 4.0	
Assembly Halls/Labs	4.0 - 6.0	
Bars/Hospital Wards/Lavatories	6.0 - 8.0	
Garages/ Theaters/Workshops	6.0 10.0	
Cafes/ Canteens	8.0 - 12.0	
Restaurants/Laundries	10.0 - 15.0	
Bakeries/Canteen Kitchens	15.0 - 30.0	
Engine Rooms/ Boiler Houses	15.0 - 30.0	
Foundries and Furnace Rooms	30.0 - 60.0	







AN IS/ISO 9001:2008 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India Tel: 020 27475963 | Fax: 020 27470344 Visit us at: www.finolex.com Email: sales@finolex.com CIN: L31300MH1967PLC016531

Finolex gets people together







/Finolex.cables

For technical literature please contact our Branch Offices:

Ahmedabad: Tel: 079-26584637, 26575639 Fax: 26575743 | Bangalore: Tel: 080-25320176 | Bhubaneshwar: Tel: 0674-2530053 | Chennai: Tel: 044-28231514, 28269322, 28284142, 28230341 Fax: 28265768 | Chandigarh: Tel: 0172-5076631, 2637334 | Cochin: Tel: 0484-2408930, 2408492 Fax: 2539107 | Coimbatore: Tel: 0422-2233399, 2333940, 2330997 | Dharwad: Tel: 0836-2746440 | Goa: Tel: 0832 - 2782003, 2782065 Fax: 2783909 | Guwahati: Tel: 0361-2490067, 2410955 | Indore: Tel: 0731-2802646 | Jaipur: Tel: 0141-2332526/29 | Kolkata: Tel: 033-24192494, 24192495 | Lucknow: Tel: 0522-2439815, 4035031 | Mumbai: Tel: 022-22873252, 22820062 Fax: 22852168 | New Delhi: Tel: 011-23715642, 23324748, 3353103, 23353160 | Patna: Tel: 0612-2920185 | Pune: Tel: 020-27475963, 27506200 | Raipur: Tel: 0771-2885595 Fax: 2525800 | Ranchi: Tel: 0651-2284758 | Roorkee: Tel: 01332-224068 Fax: 224069 | Secunderabad: Tel: 040-27721224, 27846988 Fax: 27817463 | Vijayawada: Tel: 0866-2412599

All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.

When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.